



NACCI

Timber systems, beautifully designed, confidently built.

Clip-In Battens

A concealed fixing, linear batten system for
ceilings, walls & screening



By fusing the precision of timber machining with the innovation of industrial design and engineering, we present a feature batten system that boasts intricate and original design elements.

This system not only prioritizes aesthetic appeal but also prioritizes structural integrity, ensuring a swift and flawless construction process.

Built to last a lifetime, our feature batten system embodies a perfect marriage of artistry and durability.



Whether clipped into a suspended ceiling or directly clipped onto existing walls and ceilings.

Nacci simplifies the process for fit-out companies, builders, and architects.

Fast Quotations: simply provide the square meterage of your ceiling, wall, or screen.

Reduced Lead Times: Our Product is on the Shelf in New Zealand, just choose the timber and finishing options and we will machine and send it out within weeks.

Easy Installation: No specialized installation skills are required. Clip in battens are made to be 'knocked up quickly'

Stylish Profile Designs & Customization:

Choose from a variety of profile designs to achieve your desired aesthetic effortlessly or customize your project our timber profiling knives are made in-house, so whatever the profile, we can get it done.

Designer Palette: Explore a range of pre-finished color options to unlock endless creative possibilities.

Cost-Effective: With Nacci, the convenience of quick quoting, reduced lead times, and easy installation translates to both financial and time-saving benefits for your project.




Unique Features



Completely hidden clip detail

Our battens are designed with an internal clip detail allowing for a completely un-obscured batten.



Pre-finished

All our battens and components arrive pre finished to suit your building requirements.



Customization & a Wide Range of materials, profiles and finishes

We manufacture our products in-house so we are in control of the final outcome to suit every project.



Acoustic performance



Intergrates with Suspended Ceiling Brackets

Our TCR / mounting track is uniquely designed so it can be mounted to suspension ceiling hangers.



Screwed to existing walls & ceilings

Our TCR / mounting track can be directly screw fixed to most substrates on walls & Ceilings.




Modular clip & spacer

Our Clip in system is simple & smart. Installation is fast & easy. Spacing is preset, but can also be adjusted on site. Battens can be removed at any point in time.



Sustainable Materials



More than just timber battens

Our Battens are designed to accept an integrated LED strip and single driver per unit. So every batten can become an in-line light strip without needing to mount lights in between battens or cut out penetrations to install lights.



Our battens also have a unique option of combining an aluminium extrusion structure and your choice of a real timber insert facing. Structural uniformity of aluminium meets the texture, warmth, and intricate detail of natural timber. This option give a unique apperance increased strength and generally better economy than solid timber battens.



Batten Profiles

Our feature battens are available in a wide range of profiles. Because our clip system only requires a small hidden internal detail custom batten profiles can be machined or extruded easily.

The Possibilities of shapes and combinations are endless.



Materials

Custom materials & finishes can and supplied on request

Western red cedar



Alaskan yellow cedar



Rosewood



Sapele Mahogany



Hemlock



Douglas Fir




Powder-coated Aluminium




Woodgrain finish Aluminium



Real timber facing in Ali




Brass & other metals




Fire rated coatings




Dark coatings




Med coatings



Natural coatings



Light coatings



NACCI

New Zealand


Nacci

56 Forge Road, silverdale


Auckland, 0932

Telephone: +64212816924

Email: office@nacci.co.nz




Rail span to be determined by manufacturer's Specification
Provided by others
Based on batten weights in the system




Batten Widths
Standard
39mm, 64mm & 90mm
IN ANY PROFILE

Batten Spacing
Standard
0mm, 18mm, 36mm, 61mm & 81mm



STANDARD TIMBER SIZES

BATTEN PROFILES CAN BE DEVELOPED PER PROJECT



STANDARD ALUMINIUM SIZES

BATTEN PROFILES CAN BE DEVELOPED PER PROJECT

