



Nacci Clip-in Battens Technical Data Sheet

Product Details

Type Clip-In Feature Battens in Solid timber & Aluminium

Materials Western red cedar, Hemlock, Aluminium

Finishes Various stains and clear coats for timber with both group 3 & group 1S
Aluminium Powder-coated Various colours
Aluminium wood grain sublimation ('wood look')

Standard Batten Sizes 39X39, 39X65, 39X90, 39X140, 64X39, 90X18

Suspension system Rondo suspension system including fixings to substrate to suit Nacci TCR rail

Suspension Rails Nacci Aluminium TCR rail to suit Rondo suspension system & Nacci batten clips

Profile Spacing 0mm, 18mm, 36mm, 61mm, 81mm, 111mm & 161mm other sizes available

Profile Length Aluminium 5.1m & Timber 1.8m to 6m Random or selected

Batten Clips PA66 & Aluminium

Nacci clip in batten systems

Applications & Installation

Application Interior walls, interior ceilings & interior suspended ceilings

Installation Perpendicular TCR track to batten configuration, with attachment using a clip which can clip into the t slot in the batten and the grooved TCR profile for fast install

Warranty

Interior Timber battens 7 years

Interior Aluminium battens 10 - 25 years dependant on surface coating

Environmental FSC® accredited material supplier
PEFC™ hain of custody material supplier

Our aluminium components sourced locally, the raw aluminium coming from Tiwai Point Smelter

Nacci clip in batten systems

Nacci clip in batten systems

021 281 6924 | 56 Forge Road, Silverdale 0932 | www.nacci.co.nz